

Annex A – References

- [A08] Akyildiz et al., "Wireless multimedia sensor networks: Applications and testbeds," Proc. IEEE, vol. 96, no. 10, pp. 1588–1605, Oct. 2008
- [A11] S. U. Ay, "A 1.32 pW/frame pixel 1.2 V CMOS energy-harvesting and imaging (EHI) APS imager," in ISSCC Dig Tech. Papers, Feb. 2011, pp. 116–118
- [A11b] S. U. Ay, "A CMOS Energy Harvesting and Imaging (EHI) Active Pixel Sensor (APS) Imager for Retinal Prosthesis," IEEE Trans. On Biomedical Circuits and Systems, vol. 5, no. 6, pp. 535-545, Dec. 2011
- [A16] M. Alioto, "Designing (Relatively) Reliable Systems with (Highly) Unreliable Components", keynote at IEEE NEWCAS 2016, Vancouver (Canada), June 25, 2016
- [A17] M. Alioto (Ed.), *Enabling the Internet of Things - from Integrated Circuits to Integrated Systems*, Springer (2017)
- [A17b] M. Alioto, "Designing (Relatively) Reliable Systems with (Highly) Unreliable Components", invited talk at Stanford University (EE Department), Feb 6, 2017 (<https://ee.stanford.edu/event/seminar/special-seminar-designing-relatively-reliable-systems-highly-unreliable-components>)
- [A17c] M. Alioto, "Energy-Quality Scalable Adaptive VLSI Circuits and Systems beyond Approximate Computing," in Proc. of IEEE DATE 2017 (invited), Lausanne (Switzerland), pp. 127-132, March 2017
- [A18] M. Alioto, V. De, A. Marongiu, editors of the IEEE Journal on Emerging and Selected Topics in Circuits and Systems, special issue on "Energy-Quality Scalable Circuits and Systems for Sensing and Computing: from Approximate, to Communication-Inspired and Learning-Based" (published on Sept. 2018)
- [AHE09] R. Achanta, S. Hemamiz, F. Estraday, S. Susstrunk, "Frequency-tuned Salient Region Detection," in Proc. of CVPR 2009, Miami (USA), June 2009
- [ALN12] AlexNet GitHub – available at https://github.com/BVLC/caffe/tree/master/models/bvlc_alexnet
- [AMC06] I. F. Akyildiz, T. Melodia, K. R. Chowdhury, "A survey on wireless multimedia sensor networks," Comput. Netw. (2006), doi:10.1016/j.comnet.2006.10.002
- [APA17] A. Alvarez, G. Ponnusamy, M. Alioto, "EQSCALE: Energy-Quality Scalable Feature Extraction Engine for Sub-mW Real-time Video Processing with 0.55 mm² Area in 40nm CMOS," in Proc. of ASSCC 2017, pp. 241-244 , Seoul (Korea), Nov. 2017
- [ARL15] Always-on camera commercialized Arlo (startup funded by Netgear) - available at <https://www.arlo.com/en-us/>
- [AUO17] K. Ando, K. Ueyoshi, K. Orimo, H. Yonekawa, S. Sato, H. Nakahara, M. Ikebe, T. Asai, S. Takamaeda-Yamazaki, T. Kuroda, M. Motomura, "BRein Memory: A 13-Layer 4.2K Neuron / 0.8M Synapse Binary/Ternary Reconfigurable in-Memory Deep Neural Network Accelerator in 65nm CMOS," in Proc. of VLSI Symposium, C2-1, June 2017
- [AXC16] Anvesha A, S. Xu, N. Cao, J. Romberg, A. Raychowdhury, "A Light-powered, "Always-On", Smart Camera with Compressed Domain Gesture Detection," in print on IEEE Trans. on Circuits and Systems for Video Technology, July 2017 – available at <http://ieeexplore.ieee.org/document/7994621/>
- [AYK16] T. Arai, T. Yasue, K. Kitamura, H. Shimamoto, T. Kosugi, S. Jun, S. Aoyama, M.-C. Hsu, Y. Yamashita, H. Sumi, S. Kawahito, "A 1.1μm 33Mpixel 240fps 3D-Stacked CMOS Image Sensor with 3-Stage Cyclic-Based Analog to-Digital Converters," in ISSCC Dig. Tech. Papers, pp. 126-127, Feb. 2016
- [B06] H. Bay, et Al., "SURF : Speeded Up Robust Features," in ECCV, 2006
- [BCK17] K. Bong, S. Choi, C. Kim, S. Kang, Y. Kim, H.-J. Yoo, "A 0.62mW ultra-low-power convolutional-neural-network face-recognition processor and a CIS integrated with always-on haar-like face detector," in ISSCC Dig Tech. Papers, Feb. 2017
- [BDB14] D. Bol, G. de Strel, F. Botman, A. K. Lusala, N. Couniot, "A 65-nm 0.5-V DPS CMOS image sensor for ultra-low-power SoCs achieving 40-dB dynamic range," in Symp. VLSI Circuits Dig., 2014, pp. 1–2
- [BFL16] Datasheet of always-on camera commercialized by Butterfleye (startup on Indigogo) - available at <http://www.getbutterfleye.com>
- [BKD12] C. C. Boon, M. V. Krishna, M. A. Do, K. S. Yeo, A. V. Do, T. S. Wong, "A 1.2 V 2.4 GHz Low Spur CMOS PLL Synthesizer with a gain boosted Charge Pump for a Batteryless Transceiver", IEEE International Symposium on Radio-Frequency Integration Technology (RFIT), Singapore, pp. 222-224, 21-23 Nov. 2012 (Invited Paper)
- [BKL] Berkeley Caffe framework – available at <http://caffe.berkeleyvision.org/>
- [BLG15] A. Berkovich, M. Lecca, L. Gasparini, P. A. Abshire M. Gottardi, "A 30 μW 30 fps 110 × 110 Pixels Vision Sensor Embedding Local Binary Patterns," IEEE Journal of Solid-State Circuits, vol. 50, no. 9, pp. 2138-2148, 2015.
- [BLK16] Datasheet of always-on camera commercialized by Blink (startup on Kickstarter) - available at <https://blinkforhome.com/>
- [BLKa] Kyle K, "Investigating Power Consumption of Blink," – available at <https://cam-do.com/blogs/camdo-blog/investigating-power-consumption-of-blink>
- [BLKb] Blink camera Amazon Review - available at https://www.amazon.com/ask/questions/Tx3F0REUKB8DEK2/ref=ask_dp_lsw_al_hza?asin=B018HC6PVA
- [BMS13] C. Bourrasset, L. Maggiani, J. Serot, F. Berry, P. Pagano, "DreamCAM: A FPGA-based platform for smart camera networks," in Proc. of Seventh International Conference on Distributed Smart Cameras (ICDSC),

- [BOT16] BOT Home Automation Ring datasheet [online] – available at <https://ring.com>
- [BSM17] A. Ba, K. Salimi, P. Mateman, P. Boer, J. van den Heuvel, J. Gloudemans, J. Dijkhuis, M. Ding, Y.-H. Liu, C. Bachmann, G. Dolmans, K. Philips, “A 4mW-RX 7mW-TX IEEE 802.11ah Fully-Integrated RF Transceiver,” in Proc. of RFIC 2017
- [BTV] Datasheet of BrightVolt Thin Film Batteries [online] - available at <http://www.brightvolt.com/products/flexion-batteries>
- [BWL17] S. Bang, J. Wang, Z. Li, C. Gao, Y. Kim, Q. Dong, Y.-P. Chen, L. Fick, X. Sun, R. Dreslinski, T. Mudge, H. S. Kim, D. Blaauw, D. Sylvester, “A 288 μ W Programmable Deep-Learning Processor with 270KB On-Chip Weight Storage Using Non-Uniform Memory Hierarchy for Mobile Intelligence,” ISSCC Dig. Tech. Papers, pp. 250-251, Feb. 2017
- [BY15] J. Bae, Member, H.-J. Yoo, “A 45 μ W Injection-Locked FSK Wake-Up Receiver With Frequency-to-Envelope Conversion for Crystal-Less Wireless Body Area Network,” IEEE Journal of Solid-State Circuits, vol. 50, no. 6, pp. 1351-1360, June 2015
- [C10] Y. Chae, et al., “A 2.1Mpixel 120frame/s CMOS Image Sensor with Column-Parallel $\Delta\Sigma$ ADC Architecture,” ISSCC Dig. Tech. Papers, pp. 394-395, Feb. 2010
- [C16] M. Courbariaux, et al., “Binarized Neural Networks: Training Neural Networks with Weights and Activations Constrained to +1 or -1,” arXiv preprint: 1602.02830v3, 2016
- [C17] P. S. Crovetti, “All-Digital High Resolution D/A Conversion by Dyadic Digital Pulse Modulation,” IEEE Trans. on Circuits and Systems - part I, vol. 64, no. 3, pp. 573-584, March 2017
- [C93] R. Caruana, “Multitask connectionist learning,” in Proc. 1993 Connectionist Models Summer School, pp. 372–379, 1993
- [CAB08] P. Chen, P. Ahammed, C. Boyer, S. Huang, L. Lin, E. Lobaton, M. Meingast, S. Oh, S. Wang, P. Yan, A. Y. Yang, C. Yeo, L. C. Chang, D. Tygar, S. S. Sastry, “CITRIC: a low-bandwidth wireless camera network platform,” in Proc. International Conference on Distributed Smart Cameras, pp 1–10, Stanford (CA), Sept. 2008
- [CBD13] S. J. Carey, D. R. W. Barr, P. Dudek, “Low power high-performance smart camera system based on SCAMP vision sensor,” J. Syst. Archit., vol. 59, no. 10, pp. 889–899, 2013
- [CBW11] S. Chen, A. Bermak, W. Yan, “A CMOS image sensor with on-chip image compression based on predictive boundary adaptation and memoryless QTD algorithm,” IEEE Trans. on VLSI Systems, vol. 19, no. 4, pp. 538–547, Apr. 2011
- [CCM18] P.-S. Chou, C.-H. Chang, M. M. Mhala, C. C.-M. Liu, C. Y.-P. Chao, C.-Y. Huang, H. Tu, T. Wu, S.-F. Yeh, S. Takahashi, Y. Huang, “A 1.1 μ m-Pitch 13.5Mpixel 3D-Stacked CMOS Image Sensor Featuring 230fps Full-High-Definition and 514fps High-Definition Videos by Reading 2 or 3 Rows Simultaneously Using a Column-Switching Matrix,” in ISSCC Dig Tech. Papers, San Francisco (CA), Feb. 2018
- [CDN] ChangeDetection.NET (CDNET), “A video database for testing change detection algorithms” - available at <http://changedetection.net/>
- [CDS14] T. Chen, Z. Du, N. Sun, J. Wang, C. Wu, Y. Chen, O. Temam, “DianNao: A Small-Footprint High-Throughput Accelerator for Ubiquitous Machine-Learning,” in Proc. of ASPLOS 2014, pp. 269-284, Salt Lake City (USA), March 2014
- [CDT12] ChangeDetection dataset, 2012 version [online] – available at <http://changedetection.net>
- [CFR] CIFAR database – available at <https://www.cs.toronto.edu/~kriz/cifar.html>
- [CGM13] N. Cottini, M. Gottardi, N. Massari, R. Passerone and Z. Smilansky, “A 33 μ W 64x64 Pixel Vision Sensor Embedding Robust Dynamic Background Subtraction for Event Detection and Scene Interpretation,” IEEE Journal of Solid-State Circuits, vol. 48, no. 3, pp. 850-863, March 2013
- [CFC16] Canary Flex camera datasheet [online] – available at <https://canary.is/flex/>
- [CHK07] J. Choi, S.-W. Han, S.-J. Kim, S.-I. Chang, E. Yoon, “A spatial-temporal multiresolution CMOS image sensor with adaptive frame rates for tracking the moving objects in region-of-interest and suppressing motion blur,” IEEE J. Solid-State Circuits, vol. 42, no. 12, pp. 2978–2989, Dec. 2007
- [CHW15] H.-H. Chen, C.-T. Huang, S.-S. Wu, C.-L. Hung, T.-C. Ma, L.-G. Chen, “A 1920×1080 30fps 611mW Five-View Depth-Estimation Processor for Light-Field Applications,” ISSCC Dig. Tech. Papers, pp. 422-423, Feb. 2015
- [CHW16] Dong Chen, Gang Hua, Fang Wen and Jian Sun, Supervised Transformer Network for Efficient Face Detection. In European Conference on Computer Vision (ECCV), 2016
- [CKF03] K.-B. Cho, A. I. Krymski, E. R. Fossum, “A 1.5-V 550- μ W 176×144 autonomous CMOS active pixel image sensor,” IEEE Transactions on Electron Devices, Vol. 50, Dec. 2003, pp. 96-105
- [CKR16] Y.-H. Chen, T. Krishna, J. Emer, V. Sze, “Eyeriss: An Energy-Efficient Reconfigurable Accelerator for Deep Convolutional Neural Networks,” ISSCC Dig. Tech. Papers, pp. 262-263, Feb. 2016
- [CIS15] Cisco Visual Networking Index report [online] – available at <http://www.cisco.com/c/en/us/solutions/collateral/service-provider/visual-networking-index-vni/complete-white-paper-c11-481360.html>
- [CLL10] K. Cho, D. Lee, J. Lee, G. Han, “Sub-1-V CMOS image sensor using time-based readout circuit,” IEEE Transactions on Electron Devices, Vol. 57, Dec. 2010, pp. 222-227

- [CLY13] M.-T. Chung, C.-L. Lee, C. Yin, C.-C. Hsieh, "A 0.5 V PWM CMOS Imager With 82 dB Dynamic Range and 0.055% Fixed-Pattern-Noise," IEEE Journal of Solid-State Circuits, vol. 48, no. 10, pp. 2522-2530, Oct. 2013
- [CLL14] Y. Chen, T. Luo, S. Liu, S. Zhang, L. He, J. Wang, L. Li, T. Chen, Z. Xu, N. Sun, O. Temam, "DaDianNao: A Machine-Learning Supercomputer," in Proc. of MICRO-47, pp. 609-622, Cambridge (UK), December 2014
- [CLB15] H. Cho, H. Lee, J. Bae, H.-J. Yoo, "A 5.2 mW IEEE 802.15.6 HBC Standard Compatible Transceiver With Power Efficient Delay-Locked-Loop Based BPSK Demodulator," IEEE Journal of Solid-State Circuits, vol. 50, no. 11, pp. 2549-2559, Nov. 2015
- [CMC07] Y. M. Chi, U. Mallik, M. A. Clapp, E. Choi, G. Cauwenberghs, R. Etienne-Cummings, "CMOS Camera with In-Pixel Temporal Change Detection and ADC," IEEE Journal of Solid-State Circuits, vol. 42, no. 10, pp. 2187-2196, Oct. 2007
- [CMR10] V. K. Chippa, D. Mohapatra, A. Raghunathan, K. Roy, and S. T. Chakradhar, "Scalable effort hardware design: Exploiting algorithmic resilience for energy efficiency," in Proc. of DAC, 2010, pp. 555-560
- [CMU14] "CMUcam5 Pixy", available at <http://www.cmucam.org/projects/cmucam5/wiki>
- [COP13] "COgnitive & Perceptive CAMeraS," Artemis research project funded by the European Union – available at <http://www.copcams.eu/>
- [COP13b] "Are smart cameras ready for prime time?," IEEE AVSS 2013 panel - available at http://www.eecs.qmul.ac.uk/~andrea/dwnld/2013.08.26_Panel_IEEE_AVSS_Cavallaro_Fabre_Attwood_Szczuk_Akgun.pdf
- [CPC12] J. Choi, S. Park, J. Cho, and E. Yoon, "A 1.36 μ W adaptive CMOS image sensor with reconfigurable modes of operation from available energy/illumination for distributed wireless sensor network," in ISSCC Dig Tech. Papers, Feb. 2012, pp. 112-114
- [CPC14] J. Choi, S. Park, J. Cho, and E. Yoon, "A 3.4 μ W object-adaptive CMOS image sensor with embedded feature extraction algorithm for motion-triggered object-of-interest imaging," IEEE J. Solid-State Circuits, vol. 49, no. 1, pp. 289-300, Jan. 2014
- [CPC15] J. Choi, S. Park, J. Cho, E. Yoon, "An Energy/Illumination-Adaptive CMOS Image Sensor With Reconfigurable Modes of Operations," IEEE Journal of Solid-State Circuits, vol. 50, no. 6, pp. 1438-1450, June 2015
- [CPK16] L. Chen, G. Papandreou, L. Kokkinos, K. Murphy and A. L. Yuille. DeepLab: Semantic Image Segmentation with Deep Convolutional Nets, Atrous Convolution and Fully Connected CRFs. arXiv: 1606.00915, 2016.
- [CSE15] "Vision-In-Package," research project at CSEM (Switzerland) – available at <https://www.csem.ch/Page.aspx?pid=34578>
- [CSE15b] <http://www.csem.ch/Doc.aspx?id=42722&name=icycam.pdf>
- [CSK15] J. Choi, J. Shin, D. Kang, D.-S. Park, "A 45.5 μ W 15fps Always-On CMOS Image Sensor for Mobile and Wearable Devices," ISSCC Dig. Tech. Papers, pp. 114-115, San Francisco (CA), Feb. 2015
- [CTL14] D. G. Chen, F. Tang, M.-K. Law and A. Bermak, "A 12 pJ/Pixel Analog-to-Information Converter Based 816 \times 640 Pixel CMOS Image Sensor," IEEE JOURNAL OF SOLID-STATE CIRCUITS, vol. 49, no. 5, pp. 1210-1221, 2014.
- [CTZ12] S. Chen, W. Tang, X. Zhang, E. Culurciello, "A 64 \times 64 pixels UWB wireless temporal-difference digital image sensor," IEEE Trans. Very Large Scale Integr. (VLSI) Syst., vol. 20, no. 12, pp. 2232-2240, Dec. 2012
- [CVS11] M. Casares, S. Velipasalar, P. Santinelli, R. Cucchiara, A. Prati, "Energy-efficient feedback tracking on embedded smart cameras by hardware-level optimization," in Proc. 5th ACM/IEEE Int. Conf. Distrib. Smart Cameras, pp. 1-6, Aug. 2011
- [CYC15] Chan, L.H.K., Kiat Seng Yeo, Chew, K.W.J., Shih Ni Ong, "High-Frequency Noise Modeling of MOSFETs for Ultra Low-Voltage RF Applications", IEEE Transactions on Microwave Theory and Techniques, vol. 63, no. 1, pp. 141-154, Jan. 2015
- [D12] W. Dally, "Architecture and Circuits for Energy-Efficient Computing," keynote speech at CICC 2012, Sept. 2012
- [D13] J. Deguchi, et al., "A 187.5 μ Vrms- Read-Noise 51 mW 1.4 Mpixel CMOS Image Sensor with PMOSCAP Column CDS and 10b Self-Differential Offset-Cancelled Pipeline SAR-ADC," ISSCC Dig. Tech. Papers, pp. 494-495, Feb. 2013
- [D15b] W. Dally, "High-Performance Hardware for Machine Learning," tutorial at NIPS 2015 - available at <https://media.nips.cc/Conferences/2015/tutorials/slides/Dally-NIPS-Tutorial-2015.pdf>
- [DBD10] V. Do, C. C. Boon, M. A. Do, K. S. Yeo, A. Cabuk, "An Energy-Aware CMOS Receiver Front End for Low-Power 2.4-GHz Applications", IEEE Transactions on Circuits and Systems I: Regular Papers, vol. 57, no. 10, pp. 2675-2684, Oct. 2010
- [DCB17] G. Desoli, N. Chawla, T. Boesch, S. Singh, E. Guidetti, F. De Ambroggi, T. Majo, P. Zambotti, M. Ayodhyawasi, H. Singh, N. Aggarwal, "A 2.9TOPS/W Deep Convolutional Neural Network SoC in FD-SOI 28nm for Intelligent Embedded Systems," in ISSCC Dig Tech. Papers, pp. 238-239, Feb. 2017
- [DFC15] Z. Du, R. Fasthuber, T. Chen, P. lenne, L. Li, T. Luo, X. Feng, Y. Chen, O. Temam, "ShiDianNao: Shifting Vision Processing Closer to the Sensor," in Proc. of ISCA'15, pp. 92-104, Portland (Oregon), June 2015
- [DL18] M. Verhelst, "Deep Learning Processor Survey" [Online]. Available: <http://www.esat.kuleuven.be/~mverhelst/DLICsurvey.html>
- [DLH16] J. Dai, Y. Li, K. He, and J. Sun. R-FCN: Object Detection via Region-based Fully Convolutional Networks. In Advances on Neural Information Processing Systems (NIPS), 2016.

- [DLS10] S. Drago, D. M. W. Leenaerts, F. Sebastian, L. J. Breems, K. A. A. Makinwa, B. Nauta, "A 2.4GHZ 830pJ/bit Duty-Cycled Wake-Up Receiver with -82dBm Sensitivity for Crystal-less Wireless Sensor Nodes," in ISSCC Dig Tech. Papers, Feb. 2010
- [DRA06] I. Downes, L.B. Rad, H. Aghajan, "Development of a mote for wireless image sensor networks," in Proc. of COGNitive systems with Interactive Sensors (COGIS), Paris, France, March 2006
- [DSR15] S. Desai, M. Shoaib, A. Raychowdhury, "An Ultra-low power, "Always-On" Camera Front-End for Posture Detection in Body Worn Cameras using Restricted Boltzman Machines," IEEE Transactions on Multi-Scale Computing Systems (TMSCS), vol. 1, no. 4, pp. 187–194, Dec. 2015
- [EVA] Embedded Vision Alliance website – available at <https://www.embedded-vision.com/>
- [F11] "INCA - Intelligent Camera", Fraunhofer Institute 2011 – available at <http://www.iis.fraunhofer.de/en/ffbsy/tech/kameratechnik/intelligentcamera.html>
- [F15] R. Funatsu, et al., "133Mpixel 60fps CMOS Image Sensor with 32-Column Shared High-Speed Column-Parallel SAR ADCs", ISSCC Dig. Tech. Papers, pp. 112-113, Feb. 2015
- [F17] V. Kopytoff, "Amazon Acquires Security Camera and Video Doorbell Maker Blink," Fortune, Dec. 23, 2017 – available at <http://fortune.com/2017/12/22/amazon-acquires-security-camera-and-video-doorbell-maker-blink/>
- [FFA14] L. Freyman, D. Fick, M. Alioto, D. Blaauw, D. Sylvester, "A 346 μ m² VCO-based, Reference-Free, Self-Timed Sensor Interface for Cubic-Millimeter Sensor Nodes in 28nm CMOS," IEEE Journal of Solid-State Circuits, vol. 49, no. 11, pp. 2462-2473, Nov. 2014
- [FFX15] Flir FX cam datasheet [online] – available at <http://www.flir.com/flirfx>
- [FKB14] F. Frustaci, M. Khayatzadeh, D. Blaauw, D. Sylvester, M. Alioto, "A 32kb SRAM for Error-Free and Error-Tolerant Applications with Dynamic Energy-Quality Management in 28nm CMOS," in IEEE ISSCC Dig. Tech. Papers, Feb. 2014, pp. 244-245
- [G15] N. Giges, "A Self-Powered Video Camera," in ASME.org, Dec 15, 2015 – available at <https://www.asme.org/engineering-topics/articles/technology-and-society/a-selfpowered-video-camera>
- [G15b] H. de Groot, "IoT and the cloud: A hacked personality and an empty battery head-ache or an intuitive environment to make our lives easier?" in Proc. IEEE SOI 3D Subthreshold Microelectron. Technol. Unified Conf. (S3S), 2015, pp. 1–5.
- [GAG15] S. Gupta, A. Agrawal, K. Gopalakrishnan, P. Narayanan, "Deep Learning with Limited Numerical Precision," in Proc. of ICML'15, pp. 1737-1746, Lille (France), July 2015
- [GAR16] Gartner report on "Market Trends: Emerging Opportunities for CMOS Image Sensors in IoT Devices, Worldwide, 2016," – available at <https://www.gartner.com/doc/3345124/market-trends-emerging-opportunities-cmos>
- [GBC16] I. Goodfellow, Y. Bengio, A. Courville, Deep Learning, MIT Press, 2016
- [GC17] "Google Clips: AI camera first look," – available at <https://www.youtube.com/watch?v=w05jWoalHUs>
- [GIA15] Global Industry Analysts report on "Network Camera and Video Analytics Software – A Global Strategic Business Report," – available at <http://www.strategyr.com/MCP-7947.asp>
- [GMJ09] M. Gottardi, N. Massari, S.A. Jawed, "A 100 μ W 128 \times 64 pixels contrast-based asynchronous binary vision sensor for sensor networks applications," JSSC, Vol. 44, pp. 1582-1592, 2009
- [GSI] GSI Technologies website [online] – available at <http://www.gsitech.com/printed-flexible-antenna/>
- [HBH12] X. Huang, A. Ba, P. Harpe, G. Dolmans, H. De Groot, J. Long, "A 915 MHz 120 μ W-RX/900 μ W-TX envelope-detection transceiver with 20dB in-band interference tolerance," in IEEE ISSCC Dig. Tech. Papers, Feb. 2012, pp. 454–456
- [HBS15] I. Hong, K. Bong, D. Shin, S. Park, K. Lee, Y. Kim, H.-J. Yoo, "A 2.71nJ/Pixel 3D-Stacked Gaze-Activated Object-Recognition System for Low-Power Mobile HMD Applications," ISSCC Dig. Tech. Papers, pp. 326-327, Feb. 2015
- [HFB10] S. Hanson, Z. Foo, D. Blaauw, D. Sylvester, "A 0.5 V sub-microwatt CMOS image sensor with pulse-width modulation read-out," IEEE J. Solid-State Circuits, vol. 45, no. 4, pp. 759–767, Apr. 2010
- [HLM16] S. Han, X. Liu, H. Mao, J. Pu, A. Pedram, M. A. Horowitz, W. J. Dally, "EIE: Efficient Inference Engine on Compressed Deep Neural Network," arXiv:1602.01528v2
- [HM16] "HM01B0 Ultra Low Power CIS," Himax Technologies, Inc., 2016 – Available at <http://www.himax.com.tw/products/cmos-image-sensor/image-sensors/hm01b0/>
- [HMB16] Always-on camera commercialized by HomeBoy (startup) - available at <https://www.homeboy.com/>, and <https://homeboy.helpshift.com/a/homeboy/?s=camera-hardware&f=hardware-specifications>
- [HMD16] S. Han, H. Mao, W. J. Dally, "Deep Compression: Compressing Deep Neural Networks with Pruning, Trained Quantization and Huffman Coding," in Proc. of ICLR 2016, San Juan (Puerto Rico), May 2016
- [HNH17] T. Haruta, T. Nakajima, J. Hashizume, T. Umebayashi, H. Takahashi, K. Taniguchi, M. Kuroda, H. Sumihiro, K. Enoki, T. Yamasaki, K. Ikezawa, A. Kitahara, M. Zen, M. Oyama, H. Koga, H. Tsugawa, T. Ogita, T. Nagano, S. Takano, T. Nomoto, "A 1/2.3inch 20Mpixel 3-Layer Stacked CMOS Image Sensor with DRAM," in ISSCC Dig Tech. Papers, San Francisco (CA), Feb. 2017
- [HPF07] S. Hengstler, D. Prashanth, S. Fong, H. Aghajan, "MeshEye: A hybrid-resolution smart camera mote for applications in distributed intelligent surveillance," in Proc. ACM 6th Int. Conf. Inf. Process. Sensor Netw., Cambridge (USA), pp. 360–369, 2007
- [HPP15] I. Hong, S. Park, J. Park, H.-J. Yoo, "A 1.9nJ-pixel Embedded Deep Neural Network Processor for High Speed Visual Attention in a Mobile Vision Recognition SoC," in Proc. of ASSCC 2015, Nov. 2015

- [HS09] S. Hanson, D. Sylvester, "A 0.45–0.7 V sub-microwatt CMOS image sensor for ultra-low power applications," in IEEE Symp. VLSI Circuits Dig., 2009, pp. 176–177
- [HVD15] G. Hinton, O. Vinyals, J. Dean. Distilling the Knowledge in a Neural Network. ArXiv: 1503.02531
- [HZA17] A. G. Howard, M. Zhu, B. Chen, D. Kalenichenko, W. Wang, T. Weyand, M. Andreetto, H. Adam, "MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications," arXiv:1704.04861
- [HZR16] K. He, X. Zhang, S. Ren, and J. Sun. Deep residual learning for image recognition. In IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016
- [IFS16] IFSEC Global report on "Smart CCTV and the Internet of Things: 2016 trends and Predictions," – available at <https://www.ifsecglobal.com/smart-cctv-and-the-internet-of-things-2016-trends-and-predictions/>
- [IHM15] F. N. Iandola, S. Han, M. W. Moskewicz, K. Ashraf, W. J. Dally, K. Keutzer, "SqueezeNet: AlexNet-Level Accuracy with 50x Fewer Parameters and <0.5MB Model Size," arXiv:1602.07360
- [IMG] ImageNet database – available at <http://image-net.org/>
- [INF] Datasheet of Infinity PhotoVoltaic foil - available at <https://infinitypv.com/infinitypro/opv/foil>
- [IOT14] S. Jankowski, J. Covello, H. Bellini, J. Ritchie, D. Costa, "The Internet of Things: Making sense of the next mega-trend," Global Investment Research, Goldman Sachs Group report, Sept 3, 2014 – available at <http://www.goldmansachs.com/our-thinking/outlook/internet-of-things/iot-report.pdf>
- [ISS17] ISSCC 2017 Trends - available at http://isscc.org/wp-content/uploads/2017/05/ISSCC2017_TechTrends.pdf
- [ITT16] Report on ISSCC Technology Trends – available at <http://isscc.org/trends/>
- [JYF2016] Xiaojie Jin, Xiao-Tong Yuan, Jiashi Feng, Shuicheng Yan. Training Skinny Deep Neural Networks with Iterative Hard Thresholding Methods. arXiv: 1607.05423, 2016
- [K12] J-H. Kim, et al., "A 14b Extended Counting ADC Implemented in a 24MPixel APS-C CMOS Image Sensor," ISSCC Dig. Tech. Papers, pp. 390-391, Feb. 2012
- [KBF13] G. Kim, M. Barangi, Z. Foo, N. Pinckney, S. Bang, D. Blaauw, D. Sylvester, "27.2 A 467nW CMOS Visual Motion Sensor with Temporal Averaging and Pixel Aggregation," in ISSCC Dig Tech. Papers, Feb. 2013, pp. 480–481
- [KDY10] M. V. Krishna, M. A. Do, K. S. Yeo, C. C. Boon, W. M. Lim, "Design and Analysis of Ultra Low Power True Single Phase Clock CMOS 2/3 Prescaler," IEEE Transactions on Circuits and Systems I – part I, vol. 57, no. 1, pp. 72-82, Jan. 2010
- [KFC17] F.-W. Kuo, S. Binsfeld Ferreira, H.-N. R. Chen, L.-C. Cho, C.-P. Jou, F.-L. Hsueh, I. Madadi, M. Tohidian, M. Shahmohammadi, M. Babaie, R. B. Staszewski, "A Bluetooth Low-Energy Transceiver With 3.7-mW All-Digital Transmitter, 2.75-mW High-IF Discrete-Time Receiver, and TX/RX Switchable On-Chip Matching Network," IEEE Journal of Solid-State Circuits, vol. 52, no. 4, pp. 1144-1162, April 2017
- [KGS05] P. Kulkarni, D. Ganesan, P. Shenoy, Q. Lu, "SensEye: a multi-tier camera sensor network," in Proc. of ACM Multimedia, Singapore, November 2005
- [KKL14] G. Kim, Y. Kim, K. Lee, S. Park, I. Hong, K. Bong, D. Shin, S. Choi, J. Oh, H.-J. Yoo, "A 1.22TOPS and 1.52mW/MHz Augmented Reality Multi-Core Processor with Neural Network NoC for HMD Applications," in IEEE ISSCC Dig. Tech. Papers, Feb. 2014, pp. 182-183
- [KLF14] G. Kim, Y. Lee, Z. Foo, P. Pannuto, Y.-S. Kuo, B. Kempke, M. H. Ghaed, S. Bang, I. Lee, Y. Kim, S. Jeong, P. Dutta, D. Sylvester, D. Blaauw, "A Millimeter-Scale Wireless Imaging System with Continuous Motion Detection and Energy Harvesting," IEEE Symposium on VLSI Circuits, 2014
- [KLK08] K. Kim, S. Lee, J.-Y. Kim, M. Kim, D. Kim, J.-H. Woo, H.-J. Yoo, "A 125GOPS 583mW Network-on-Chip Based Parallel Processor with Bio-inspired Visual-Attention Engine," in IEEE ISSCC Dig. Tech. Papers, Feb. 2008, pp. 308-309
- [KML07] A. Kerhet, M. Magno, F. Leonardi, A. Boni, L. Benini, "A low-power wireless video sensor node for distributed object detection," Journal of Real-Time Image Processing, vol. 2, no. 4, pp. 331–342, Dec. 2007
- [KNH18] O. Kumagai, A. Niwa, K. Hanzawa, H. Kato, S. Futami, T. Ohyama, T. Imoto, M. Nakamizo, H. Murakami, T. Nishino, A. Bostamam, T. Iinuma, N. Kuzuya, K. Hatsukawa, F. Brady, W. Bidermann, T. Wakano, T. Nagano, H. Wakabayashi, Y. Nitta, "A 1/4-inch 3.9Mpixel Low-Power Event-Driven Back-Illuminated Stacked CMOS Image Sensor," in ISSCC Dig Tech. Papers, San Francisco (CA), Feb. 2018
- [KNT17] Knit Health camera – available at <https://www.knithealth.com/>
- [KSH12] A. Krizhevsky, I. Sutskever, and G.E. Hinton. Imagenet classification with deep convolutional neural networks. In Advances on Neural Information Processing Systems (NIPS), 2012
- [KSN08] K. Kagawau, S. Shishido, M. Nunoshita, J. Ohta, "A 3.6pW/frame.pixel 1.35 V PWM CMOS imager with dynamic pixel readout and no static bias current," ISSCC, pp. 54-595, 2008
- [L10] Y. Lim, et al., "A 1.1e- Temporal Noise 1/3.2-inch 8Mpixel CMOS Image Sensor using Pseudo-Multiple Sampling," ISSCC Dig. Tech. Papers, pp. 396-397, Feb. 2010
- [L12] T. H. Lee, *The Design of CMOS Radio-Frequency Integrated Circuits (2nd ed.)*, Cambridge Press, 2012
- [L99] D. G. Lowe, "Object recognition from local scale-invariant features," in ICCV, 1999
- [LAE15] W. Liu, D. Anguelov, D. Erhan, C. Szegedy, and S. Reed. SSD: Single shot multibox detector. arXiv:1512.02325v2, 2015.
- [LBS07] W. D. León-Salas, S. Balkir, K. Sayood, N. Schemm, M. Hoffman, "A CMOS imager with focal plane compression using predictive coding," IEEE J. Solid-State Circuits, vol. 42, no. 11, pp. 2555–2572, Nov. 2007

- [LBS11] M. K. Law, A. Bermak, C. Shi, "A low-power energy-harvesting logarithmic CMOS image sensor with reconfigurable resolution using two-level quantization scheme," IEEE Trans. Circuits Syst. II, Exp. Briefs, vol. 58, no. 2, pp. 80–84, Feb. 2011
- [LCL15] D. Liu, T. Chen, S. Liu, J. Zhou, S. Zhou, O. Teman, X. Feng, X. Zhou, Y. Chen, "PuDianNao: A Polyvalent Machine Learning Accelerator," in Proc. of ASPLOS '15, pp. 369-381, Istanbul (Turkey), March 2015
- [LDB17] D. Lachartre, F. Dehmas, C. Bernier, C. Fourtet, L. Ouvry, F. Lepin, E. Mercier, S. Hamard, L. Zirphile, S. Thuries, F. Chaix, "A TCXO-Less 100Hz-Minimum-Bandwidth Transceiver for Ultra-Narrow-Band Sub-GHz IoT Cellular Networks," in ISSCC Dig Tech. Papers, Feb. 2017
- [LEC14] Yann LeCun FaceBook post on TrueNorth chip - <https://www.facebook.com/yann.lecun/posts/10152184295832143>
- [LFQ16] H Liu, J Feng, M Qi, J Jiang, S Yan, End-to-end comparative attention networks for person re-identification. arXiv:1606.04404, 2016.
- [LKH14] J. Lee, V. V. Kulkarni, C. K. Ho, J. H. Cheong, P. Li, J. Zhou, W. D. Toh, X. Zhang, Y. Gao, K/W. Cheng, X. Liu, M. Je, "A 60Mb/s wideband BCC transceiver with 150pJ/b RX and 31pJ/b TX for emerging wearable applications," in ISSCC Dig Tech. Papers, Feb. 2014
- [LKK08] S. Lee, K. Kim, M. Kim, J.-Y. Kim, H.-J. Yoo, "The brain mimicking Visual Attention Engine: An 80×60 digital Cellular Neural Network for rapid global feature extraction," in IEEE 2008 Symp. VLSI Tech. Dig. Tech. Papers, Jun. 2008, pp. 26–27
- [LKK11] S. Lee, M. Kim, K. Kim, J.-Y. Kim, H.-J. Yoo, "24-GOPS 4.5-mm² Digital Cellular Neural Network for Rapid Visual Attention in an Object-Recognition SoC," IEEE Transactions on Neural Networks, vol. 22, no. 1, pp. 64–73, Jan. 2011
- [LLR16] M. Rusci, D. Rossi, M. Lecca, M. Gottardi, E. Farella, L. Benini, "An Event-Driven Ultra-Low-Power Smart Visual Sensor," IEEE Sensors Journal, vol. 16, no. 13, pp. 5344-5353, July 2016
- [LMC16] C. Liu, M. M. Mhala, C.-H. Chang, H. Tu, P.-S. Chou, C. Chao, F.-L. Hsueh, "A 1.5V 33Mpixel 3D-Stacked CMOS Image Sensor with Negative Substrate Bias," ISSCC Dig. Tech. Papers, pp. 124-125, Feb. 2016
- [LNA16] AntiLoiter: A Loitering Discovery System for Longtime Videos across Multiple Surveillance Cameras
- [LNZ17] D. Liu, X. Ni, R. Zhou, W. Rhee, Z. Wang, "A 0.42-mW 1-Mb/s 3- to 4-GHz Transceiver in 0.18-μm CMOS With Flexible Efficiency, Bandwidth, and Distance Control for IoT Applications," IEEE Journal of Solid-State Circuits, vol. 2, no. 6, pp. 1479-1494, June 2017
- [LOK10] S. Lee, J. Oh, M. Kim, J. Park, J. Kwon, H.-J. Yoo, "A 345mW Heterogeneous Many-Core Processor with an Intelligent Inference Engine for Robust Object Recognition," in IEEE ISSCC Dig. Tech. Papers, Feb. 2010, pp. 332-333
- [LPD08] P. Lichtsteiner, C. Posch, T. Delbrück, "A 128×128 120 dB 15 μs Latency Asynchronous Temporal Contrast Vision Sensor," IEEE J. Solid-State Circuits, vol. 43, no. 2, pp. 566-576, Feb. 2008
- [LUC16] Link-Union camera datasheet [online] – available at <http://linkucam.com/>
- [LZG17] M. Lecca, Y. Zou, M. Gottardi, S. Sola Zurriaga, J. L. Diego Orozco, "A Low Power Smart Camera for Video Surveillance and Forensic Applications," in Proc. of International Conference on Engineering, Technology and Innovation (ICE/ITMC), Funchal (Portugal), June 2017
- [M12] K. P. Murphy, Machine Learning: a Probabilistic Perspective, MIT Press, 2012
- [MAM15] Image Sensor Market worth 17.5 Billion USD by 2020, MarketandMarket report 2015 [online] – available at <http://www.marketsandmarkets.com/PressReleases/image-sensor.asp>
- [MCK15] R. Dobbs, J. Manyika, J. Woetzel, "The Internet of Things: Mapping the value beyond the hype," McKinsey Global Institute report, June 2015 – available at <http://www.mckinsey.com/business-functions/business-technology/our-insights/the-internet-of-things-the-value-of-digitizing-the-physical-world>
- [MSC16] Vision MINI Smart Camera datasheet – available at <http://www.microscan.com/en-us/Products/Machine-Vision-Systems/Vision-MINI-Smart-Camera.aspx>
- [MTB13] M. Magno, F. Tombari, D. Brunelli, L. Di Stefano, L. Benini, "Multimodal video analysis on self-powered resource-limited wireless smart camera," IEEE J. Emerg. Sel. Topic Circuits Syst., vol. 3, no. 2, pp. 223–235, Jun. 2013
- [MV16] B. Moons, M. Verhelst, "A 0.3-2.6 TOPS/W Precision-Scalable Processor for Real-Time Large-Scale ConvNets," in Proc. of VLSI Symposium, C17-1, June 2016
- [MV17] B. Moons, M. Velherst, "ENVISION: A 0.26-to-10TOPS/W Subword-Parallel Dynamic-Voltage-Accuracy-Frequency-Scalable Convolutional Neural Network Processor in 28nm FDSOI", in ISSCC Dig Tech. Papers, pp. 246-247, Feb. 2017
- [NEO09] "NeoVision2," research project funded by DARPA (US) – <http://ilab.usc.edu/neo2/>
- [NH16] H. Nam and B. Han. Learning Multi-Domain Convolutional Neural Networks for Visual Tracking. In IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016
- [NIC18] NICE Alliance website – available at <http://www.nicealliance.org/>
- [NICE18b] Press Release on "New Industry Alliance NICE Launched for Next Generation Smart Camera Ecosystem" – available at <http://www.nicealliance.org/tokyo-december-xx-2017-leading-consumer-electronics-manufacturers-and-brands-foxconn-nikon-scenera-sony-semiconductor-solutions-corporation-sss-and-wistron-today-announced-their-colla/>

- [NSF13] "Visual Cortex on Silicon," research project funded by National Science Foundation (US) – available at http://www.nsf.gov/awardsearch/showAward?AWD_ID=1317560, and <http://www.cse.psu.edu/research/visualcortexonsilicon.expedition/>
- [NSF15a] S.K. Nayar, D.C. Sims, M. Fridberg, "Towards Self-Powered Cameras," IEEE International Conference on Computational Photography (ICCP), pp. 1-10, Apr. 2015
- [NUB16] Nubo camera datasheet [online] – available at <https://www.nubocam.com/en/>
- [O13] J. Oh, et Al., "A 320 mW 342 GOPS Real-Time Dynamic Object Recognition Processor for HD 720p Video Streams," IEEE Journal of Solid-State Circuits, 2013
- [OCP] OpenCV webpage – available at <http://docs.opencv.org/3.1.0/index.html>
- [OKP12] J. Oh, G. Kim, J. Park, I. Hong, S. Lee, H.-J. Yoo, "A 320mW 342GOPS real-time moving object recognition processor for HD 720p video streams," in IEEE ISSCC Dig. Tech. Papers, Feb. 2012, pp. 220-221
- [OLK09] J. Oh, S. Lee, J.-Y. Kim, H.-J. Yoo, "An area efficient shared synapse cellular neural network for low power image processing," in Proc. of VLSI-DAT 2009, pp. 275-278, 2009
- [OPK11] J. Oh, J. Park, G. Kim, S. Lee, H.-J. Yoo, "A 57mW Embedded Mixed-Mode Neuro-Fuzzy Accelerator for Intelligent Multi-Core Processor," in IEEE ISSCC Dig. Tech. Papers, Feb. 2011, pp. 130-131
- [OV15] "CMOS VGA (640x480) Image Sensor with OmniPixel3-GS™ Technology," OmniVision Technologies, Inc., 2015 – Available at <http://www.ovt.com/products/sensor.php?id=146>
- [OYC14] Shih Ni Ong, Kiat Seng Yeo, Chew, K.W.J., Chan, L.H.K., "Substrate-Induced Noise Model and Parameter Extraction for High-Frequency Noise Modeling of Sub-Micron MOSFETs," IEEE Transactions on Microwave Theory and Techniques, vol. 62, no. 9, pp. 1973-1985, Sep. 2014.
- [P03] K. V. Palem, "Energy aware algorithm design via probabilistic computing: from algorithms and models to Moore's law and novel (semiconductor) devices," in Proc. of CASES, 2003, pp. 113-116.
- [P13] J. Park, et Al., "A 182 mW 94.3 f/s in Full HD Pattern-Matching Based Image Recognition Accelerator for an Embedded Vision System in 0.13- μ m CMOS Technology," IEEE TCSVT 2013
- [PBS15] S. Park, K. Bong, D. Shin, J. Lee, S. Choi, H.-J. Yoo, "A 1.93TOPS/W Scalable Deep Learning/Inference Processor with Tetra-Parallel MIMD Architecture for Big-Data Applications," ISSCC Dig. Tech. Papers, pp. 80-81, Feb. 2015
- [PC06] C. Park, P. H. Chou, "eCAM: ultra compact, high data-rate wireless sensor node with a miniature camera," in Proceeding of SenSys '06 (4th international conference on Embedded networked sensor systems), pp. 359-360, Boulder (CO), Oct 2006
- [PCL16] S. Park, S. Choi, J. Lee, M. Kim, J. Park, H.-J. Yoo, "A 126.1mW Real-Time Natural UI/UX Processor with Embedded Deep-Learning Core for Low-Power Smart Glasses," ISSCC Dig. Tech. Papers, pp. 254-255, Feb. 2016
- [PCR17] A. Pullini, F. Conti, D. Rossi, I. Loi, M. Gautschi, L. Benini, "A Heterogeneous Multi-Core System-On-Chip For Energy Efficient Brain Inspired Vision," in print on IEEE Transactions on Circuits and Systems II – available at <http://ieeexplore.ieee.org/document/7539213/>
- [PGR09] N. M. Pletcher, S. Gambini, J. Rabaey, "A 52 μ W Wake-Up Receiver With 72 dBm Sensitivity Using an Uncertain-IF Architecture," IEEE Journal of Solid-State Circuits vol. 44, no. 1, pp. 269-280, Jan. 2009
- [PLP] PULPino platform website – available at <https://github.com/pulp-platform/pulpino>
- [PPW15] J. Prummel, M. Papamichail, J. Willms, R. Todi, W. Aartsen, W. Kruiskamp, J. Haanstra, E. Opbroek, S. Rievers, P. Seesink, J. van Gorsel, H. Woering, C. Smit, "A 10 mW Bluetooth Low-Energy Transceiver With On-Chip Matching," IEEE Journal of Solid-State Circuits, vol. 50, no. 12, pp. 3077-3088, Dec. 2015
- [PSC] Panasonic webpage on "Products - Security cameras & surveillance systems" – available at <https://security.panasonic.com/products>
- [QCM17] Qualcomm Research website, "Overcoming the high power/high cost of computer vision," – available at <https://www.qualcomm.com/invention/research/projects/computer-vision/always-on>
- [R11] E. Rublee, et Al., "ORB: An efficient alternative to SIFT or SURF," in ICCV, 2011
- [R13] A. Rahma, et al., Nanometer Variation-Tolerant SRAM, Springer, 2013
- [R17] S. Ruder, "An Overview of Multi-Task Learning in Deep Neural Networks," arXiv:1706.05098v1, June 2017
- [RBI05] M. Rahimi, R. Baer, O. I. Iroezi, J. C. Garcia, J. Warrior, D. Estrin, M. Srivastava, "Cyclops: In Situ Image Sensing and Interpretation in Wireless Sensor Networks," in Proc. Of SenSys'05, San Diego (CA), Nov. 2005
- [REC16] DARPA solicitation for proposals on "Reconfigurable Imaging (ReImagine)" Sept 30, 2016 - https://www.fbo.gov/index?s=opportunity&mode=form&id=d90965fb6016530801eeb56d7927eee&tab=core_&cview=0
- [RGR07] A. Rowe, D. Goal, R. Rajkumar, "FireFly Mosaic: a vision-enabled wireless sensor networking system," in Proc. IEEE International Real-Time Systems Symposium, pp 459–468, 2007
- [RMB15] Lensless Smart Sensors datasheet, Rambus Inc. – available at <https://www.rambus.com/emerging-solutions/lensless-smart-sensors/>
- [RRF17] M. Rusci, D. Rossi, E. Farella, L. Benini, "A sub-mW IoT-endnode for always-on visual monitoring and smart triggering," IEEE Internet of Things Journal, vol. 4, no. 5, pp. 1284-1295, Oct. 2017
- [RRK11] E. Rublee, V. Rabaud, K. Konolige, G. Bradski, "ORB: an efficient alternative to SIFT or SURF," in Proc. of 2011 IEEE International Conference on Computer Vision, pp. 2564-2571, Barcelona (Spain), Nov. 2011
- [RRL16] M. Rusci, D. Rossi, M. Lecca, M. Gottardi, L. Benini, E. Farella, "Energy-efficient design of an always-on smart visual trigger," in Proc. of Smart Cities Conference, Sept. 2016

- [S10] R. Szeliski, *Computer Vision – Algorithms and Applications*, Springer, 2010
- [S12] M-W. Seo, et al., “A Low-Noise High Intrinsic Dynamic Range CMOS Image Sensor With a 13 to 19b Variable-Resolution Column-Parallel Folding-Integration/Cyclic ADC”, IEEE J. Solid-State Circuits, vol. 47, no. 1, pp. 272-283, Jan. 2012
- [S13] S. Sukegawa, et al., “A 1/4-inch 8Mpixel Back-Illuminated Stacked CMOS Image Sensor,” ISSCC Dig. Tech. Papers, pp. 484-485, Feb. 2013
- [S15] A. Suzuki, et al., “A 1/1.7-inch 20Mpixel Back-Illuminated Stacked CMOS Image Sensor for New Imaging Applications,” ISSCC Dig. Tech. Papers, pp. 110-111, Feb. 2015
- [SAF13] “Supervised Autonomous Fires Technology (SAF-T),” research project funded by Office of Naval Research (US) – available at <http://www.onr.navy.mil/en/Media-Center/Fact-Sheets/Supervised-Autonomous-Fires.aspx>
- [SCK16] C. Salazar, A. Cathelin, A. Kaiser, J. Rabaey, “A 2.4 GHz Interferer-Resilient Wake-Up Receiver Using A Dual-IF Multi-Stage N-Path Architecture,” IEEE Journal of Solid-State Circuits, vo .51, no. 9, pp. 2091-2105, Sept. 2016
- [SFS09] V. Sze, D. F. Finchelstein, M. E. Sinangil, A. P. Chandrakasan, “A 0.7-V 1.8 mW H.264/AVC 720p video decoder,” IEEE J. Solid-State Circuits, vol. 44, no. 11, Nov. 2009
- [SI18] S. Smeureanu, R. T. Ionescu, “Real-Time Deep Learning Method for Abandoned Luggage Detection in Video,” arXiv:1803.01160v1
- [SKP15] Florian Schroff, Dmitry Kalenichenko, James Philbin, FaceNet: A Unified Embedding for Face Recognition and Clustering. In IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2015
- [SL17] S. Liao, “Google Clips is a tiny camera that uses AI to automatically photograph family moments,” – available at <https://www.theverge.com/2017/10/4/16402682/google-clips-camera-announced-price-release-date-wireless>
- [SLL17] D. Shin, J. Lee, J. Lee, H.-J. Yoo, “DNPU: An 8.1TOPS/W Reconfigurable CNN-RNN Processor for General-Purpose Deep Neural Networks,” in ISSCC Dig Tech. Papers, pp. 240-241, Feb. 2017
- [SN] Smart Nation website – available at <https://www.smartnation.sg/>
- [SNX16] Socionext H.264 (AVC) Ultra Low Power Full-HD Codec MB86H46 datasheet - available at <http://socionextus.com/products/video-processing-encoders/mb86h46-h-264-avc-ultra-low-power-full-hd-codec/>
- [SON12] SONY https://www.sony.net/Products/SC-HP/cx_news_archives/img/pdf/vol_68/sideview_vol68.pdf
- [SON15] L. Shu, “Sony’s Cyber-shot ‘stacked’ image sensor may rescue point-and-shoot cameras,”, Digital Trends, June 11, 2015 – available at <http://www.digitrends.com/photography/sony-rx100-iv-rx10-ii-news-specs/>
- [SPK16] J. Sim, J.-S. Park, M. Kim, D. Bae, Y. Choi, L.-S. Kim, “A 1.42TOPS/W Deep Convolutional Neural Network Recognition Processor for Intelligent IoT Systems,” ISSCC Dig. Tech. Papers, pp. 264-265, Feb. 2016
- [SSY16] K. Shiraishi, Y. Shinohzuka, T. Yamashita, K. Sugiura, N. Watanabe, R. Okamoto, T. Ashitani, M. Furuta, T. Itakura, “A 1.2e- Temporal Noise 3D-Stacked CMOS Image Sensor with Comparator-Based Multiple-Sampling PGA,” ISSCC Dig. Tech. Papers, pp. 122-123, San Francisco (CA), Feb. 2016 [TBZ12] B. Tavli, K. Bicakci, R. Zilan, J. M. Barcelo-Ordinas, “A survey of visual sensor network platforms,” Journal Multimedia Tools and Applications archive (Kluwer), vol. 60, no. 3, pp. 689-726, Oct. 2012
- [SUC16] Datasheet of Stick Up Cam [online] – available at <https://ring.com/stickupcam>
- [SYN09] “SyNAPSE,” research project funded by DARPA (US) – <http://www.darpa.mil/program/systems-of-neuromorphic-adaptive-plastic-scalable-electronics>, and <http://www.artificialbrains.com/darpa-synapse-program>
- [TCB10] F. Tang, Y. Cao, A. Bermak, “An Ultra-low Power Current-Mode CMOS Image Sensor with Energy Harvesting Capability,” IEEE Trans. on Circuits and Systems – part II, 2010
- [TCW13] F. Tang, D. G. Chen, B. Wang, A. Bermak, “Low-Power CMOS Image Sensor Based on Column-Parallel Single-Slope/SAR Quantization Scheme,” IEEE Trans. on Electron Devices, vol. 60, no. 8, pp. 2561-2566, Aug. 2013
- [TEC17] TechNavio report on “Global Network Camera Market 2017-2021,” [online] – available at http://www.technavio.com/report/global-enterprise-application-global-network-camera-market-2017-2021#utm_source=T2&utm_campaign=Media&utm_medium=BW
- [TOS] “Designing an IP Camera Project: Is pixels per square foot an important measurement?” –Toshiba white paper available at http://www.toshibasecurity.com/resources/whitepapers/Toshiba_Design_an_IPSystem_WhitePaper.pdf
- [TTY15] J. Tanabe, S. Toru, Y. Yamada, T. Watanabe, M. Okumura, M. Nishiyama, T. Nomura, K. Oma, N. Sato, M. Banno, H. Hayashi, T. Miyamori, “A 1.9TOPS and 564GOPS/W Heterogeneous Multicore SoC with Color-Based Object Classification Accelerator for Image-Recognition Applications,” ISSCC Dig. Tech. Papers, pp. 328-329, Feb. 2015
- [UAH18] K. Ueyoshi, K. Ando, K. Hirose, S. Takamaeda-Yamazaki, J. Kadomoto, T. Miyata, M. Hamada, T. Kuroda, M. Motomura, “QUEST: A 7.49TOPS Multi-Purpose Log-Quantized DNN Inference Engine Stacked on 96MB 3D SRAM Using Inductive-Coupling Technology in 40nm CMOS,” in ISSCC Dig Tech. Papers, pp. 216-217, Feb. 2018
- [VRR14] S. Venkataramani, A. Ranjan, K. Roy, A. Raghunathan, “AxNN: energy-efficient neuromorphic systems using approximate computing,” in Proc. of ISLPED 2014, pp. 27-32, San Diego (USA), Aug. 2014

- [W18] D. D. Wentzloff, "Low Power Radio Survey," [Online]. www.eecs.umich.edu/wics/low_power_radio_survey.html
- [WH11] N. Weste, D. Harris, CMOS VLSI Design (4th ed.), Pearson Education, 2011
- [WHY12] Tongxi Wang, Xiwei Huang, Mei Yan, Hao Yu, Kiat Seng Yeo, Ismail Cevik, and Suat Ay, "A 96×96 1V ultra-low power CMOS image sensor for biomedical application", IEEE Asia Pacific Conference on Circuits and Systems (APCCAS), Kaohsiung, Taiwan, pp. 13-16, 02-05 Dec 2012 (Invited Paper).
- [WLL17] P. N. Whatmough, S. K. Lee, H. Lee, S. Rama, D. Brooks, G.-Y. Wei, "A 28nm SoC with a 1.2GHz 568nJ/Prediction Sparse Deep-Neural-Network Engine with >0.1 Timing Error Rate Tolerance for IoT Applications," in ISSCC Dig Tech. Papers, pp. 242-243, Feb. 2017
- [WOJ15] Dayong Wang, Charles Otto, Anil K. Jain, Face Search at Scale: 80 Million Gallery. arXiv: 1507.07242, 2015.
- [WQT15] Limin Wang, Yu Qiao, Xiaou Tang, Action Recognition with Trajectory-Pooled Deep Convolutional Descriptors. In: CVPR, 2015.
- [WSK08] J.-H. Woo, J.-H. Sohn, H. Kim, H.-J. Yoo, "A 152-mW mobile multimedia SoC with fully programmable 3-D graphics and MPEG4/H.264/JPEG," IEEE Journal of Solid-State Circuits, vol. 43, no. 9, pp. 2047–2056, Sept. 2008
- [WZL16] Yandong Wen, Kaipeng Zhang and Zhifeng LI, A Discriminative Feature Learning Approach for Deep Face Recognition. In European Conference on Computer Vision (ECCV), 2016
- [XFX16] Shengtao Xiao, Jiashi Feng, Junliang Xing, Hanjiang Lai, Shuicheng Yan, Ashraf Kassim, Robust Facial Landmark Detection via Recurrent Attentive-Refinement Networks. In: ECCV 2016
- [XRY15] Dan Xu, Elisa Ricci, Yan Yan, Jingkuan Song, Nicu Sebe, Learning Deep Representations of Appearance and Motion for Anomalous Event Detection. In: BMVC, 2015.
- [YDB10] Y. Kiat Seng, D. M. Anh, B. C. Chye, "Design of CMOS RF Integrated Circuits and Systems," World Scientific Publishing (Singapore), International Edition, no. of pages 360, ISBN 978-981-4271-55-4, 981-4271-55-1, Mar 2010
- [YJC12] D.-Y. Yoon, C.-J. Jeong, J. Cartwright, H.-Y. Kang, S.-K. Han, N.-S. Kim, D.-S. Ha, S.-G. Lee, "A New Approach to Low-Power and Low-Latency Wake-Up Receiver System for Wireless Sensor Nodes," IEEE Journal of Solid-State Circuits, vol. 47, no. 10, pp. 2405-2419, Oct. 2012
- [YKU17] T. Yamazaki, H. Katayama, S. Uehara, A. Nose, M. Kobayashi, S. Shida, M. Odahara, K. Takamiya, Y. Hisamatsu, S. Matsumoto, L. Miyashita, Y. Watanabe, T. Izawa, Y. Muramatsu, M. Ishikawa, "A 1ms High-Speed Vision Chip with 3D-Stacked 140GOPS Column-Parallel PEs for Spatio-Temporal Image Processing," in ISSCC Dig Tech. Papers, Feb. 2017
- [YOT05] H. Yamauchi, S. Okada, K. Taketa, Y. Matsuda, T. Mori, T. Watanabe, Y. Matsuo, Y. Matsushita, "1440x1080 pixel, 30 frames per second motion-JPEG 2000 codec for HD-movie transmission," IEEE Journal of Solid-State Circuits, vol. 40, no. 1, pp. 331–341, Jan. 2005
- [YOT17] S. Yin, P. Ouyang, S. Tang, F. Tu, X. Li, L. Liu, S. Wei, "A 1.06-to-5.09 TOPS/W reconfigurable hybrid-neural-network processor for deep learning applications," in Proc. of VLSI Symposium, C2-2, June 2017
- [Z16] Zhou et al. Learning Deep Features for Discriminative Localization. IEEE Conference on Computer Vision and Pattern Recognition, 2016
- [ZC10] M. Zhang, W. Cai, "Vision mesh: a novel video sensor networks platform for water conservancy engineering," in Proc. IEEE International Conference on Computer Science and Information Technology, pp 106–109, 2010
- [ZGW16] Rui Zhao, Quan Gan, Shangfei Wang and Qiang Ji, Facial Expression Intensity Estimation Using Ordinal Information. In IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016
- [ZLL16a] L. Zhang, L. Lin, X. Liang, and K. He. Is Faster R-CNN Doing Well for Pedestrian Detection? In European Conference on Computer Vision (ECCV), 2016
- [ZLL16b] Xiangyun Zhao, Xiaodan Liang, Luoqi Liu, Teng Li, Yugang Han, Nuno Vasconcelos and Shuicheng Yan, Peak-Piloted Deep Network for Facial Expression Recognition. In European Conference on Computer Vision (ECCV), 2016
- [ZLL16c] Shizhan Zhu, Cheng Li, Chen-Change Loy and Xiaou Tang, Unconstrained Face Alignment via Cascaded Compositional Learning. In IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016
- [ZZC12] B. Zhao, X. Zhang, S. Chen, K.-S. Low, H. Zhuang, "A 64 × 64 CMOS Image Sensor With On-Chip Moving Object Detection and Localization," IEEE on Circuits and Systems for Video Technology, vol. 22, no. 4, pp. 581-588, April 2012.